


*"Preserving Our Heritage,  
Shaping Our Future"*

Historic Home of Gravel Hill  
Est. 1815

*Paul Hawkins*, MAYOR



*City Hall*

156 Old Sunbury Rd.  
Flemington, GA 31313

912.877.3223  
cityhall@cityofflemington.org

## RFP 01-2025

# SOLICITATION FOR RESIDENTIAL & LIGHT COMMERCIAL SOLID WASTE COLLECTION

## EMAILED QUESTIONS

(7/24/25)

1. Is yard waste required and paid for by all residents?

*Yes, yard waste is required. Accounts should be created for each property owner, not the current residential renter.*

2. Can residents be required to bag loose leaves and grass clippings? If so, can we impose an 8-bag limit. That is the same amount of space if not more than the designated dimension the pile of limbs is allowed to reach.

*Yes. Pursuant to [Flemington Ordinance §58-22\(a\)](#), "Yard trimmings shall be sorted and stored in such a manner as to facilitate collection, composting or other handling." The parameters listed for yard waste in the RFP was derived from general industry standards; however, the ordinance does not specify a size or collection method.*

*If the Provider has a preferred size/collection method that is different than what is listed in the RFP, the proposal should include those specifications.*

3. State law requires residents to have freon removed from appliances before they are set out for collection? Can we include this stipulation for appliances.?

*Yes. Bulk waste service is optional and therefore the preferred provider can specify the parameters should that service be offered.*

4. We found a city ordinance that states yard waste cannot be disposed of into a lined landfill requiring vertical expansion within the city. I do not believe that applies since there is no landfill within the city, but just as Liberty County is currently doing our yard waste and bulk waste will go to their transfer station which does eventually end up in a landfill.

*Correct. It does not apply in this case.*

5. Do you have an outline for how you want bulk waste to operate?

*No. The Provider can define the parameters.*